



# **hard floor care**

**THE J2 WAY**



# Hard Floor Care:

When it comes to hard floor care and maintenance, knowing when to strip and wax as opposed to scrub and recoat can save your business time and money. However, regardless of cost you should perform the floor care that is appropriate for your facility's floor requirements.

## Scrub and Recoat

- Scrubbing floor finish is just what the term implies; it is a mildly aggressive process of mechanically scrubbing the existing floor finish. The process is much faster than a strip and wax. You simply remove the top layer(s), or remaining layer of wax, and use fewer or less harsh chemicals and a much less aggressive scrubbing pad.
- The scrubbing process removes deeply embedded soils from the floor and prepares it for added layers of floor finish.

## Strip and Wax

- If floors have little or no build up on the edges or corners, we generally recommend a Scrub & Recoat rather than a strip job. When floors are stripped, they must be neutralized and sealed before any floor finish is applied.
- Stripping a hard floor requires the complete removal of all layers of floor coating and sealant. The process involves the application of a harsh scrubbing chemical applied with an aggressive scrubbing pad.

### WHAT IS THE J2 WAY?



Reduce customer costs with better solutions

Improve customers' productivity

Make acquiring products easier for our customers

Protect our customers' brand

*We promise to do our best each and every time to meet our customers' needs with exceptional service and quality products*

# Resilient Floor Care: Finish/Recoat

\* Choose your preferred Spartan floor finish product

## DON'T FORGET!



1 Gather supplies and apply personal protective equipment.



2 Place "Wet Floor" signs at each entrance.



3 Strip and rinse floors as directed and allow floor to dry completely.



4 Pour floor finish into a bucket, as directed on product label. Note: Conventional mops require a lined bucket. Microfiber application systems do not.\*



5 Dip the mop into floor sealer and wring out to keep mop from dripping.\*



6 Start at the far corner from entrance and frame a 10' x 10' area with mop.\*



7 Use a figure-eight pattern, turning the mop frequently, to apply the sealer all the way to the baseboard.\*




8 Work backward and side-by-side toward the entrance, in sections, until the floor area is completely sealed.\*



9 Allow the finish to dry thoroughly after each coat.



10 After the floor is dry, repeat this process as directed by product label to achieve desired number of coats.\*



11 Allow the finish to dry thoroughly.



12 Clean and return all equipment to storage. Remove and store "Wet Floor" signs when floor is completely dry.



# HARD FLOOR CARE

NAME	ITEM NO.	UNIT	DESCRIPTION	PRICE
CLEANERS				
<b>Xcelente</b>	0019	1 Gallon	Phosphate-free formula is great for floors, and other surfaces where a bright, shiny, streak free finish is desired. Lavender fragrance.	
<b>Damp Mop</b>	3016	1 Gallon	Quickly and effortlessly removes dirt and other surface soils in heavily-trafficked areas and leaves no residue or haze to dull floor finish. Lemon fragrance.	
<b>Sure Step</b>	7659	1 Gallon	No-rinse, enzyme floor cleaner that breaks down built-up grease, improving slip resistance.	
<b>SD-20</b>	0020	1 Gallon	Concentrated, synthetic all-purpose cleaner designed to accomplish an unusually broad range of maintenance tasks at an affordable cost per use.	
STRIPPERS				
<b>EnduraStrip</b>	0067	1 Gallon	Powerful water-based compound for quickly and efficiently removing traditional floor finishes.	
NEUTRALIZER				
<b>Shineline</b>	3029	1 Gallon	Formulated to eliminate alkaline residue remaining on floors after stripping or restorative cleaning. Leaves floors conditioned, film free and ready for application of seal and finish.	
FINISH				
<b>The Fixx</b>	4046	1 / 5 Gallon	A premium 25% high solids floor finish that contains patented optically enhanced polymer technology to create depth of gloss and remarkable clarity. The formula provides initial deep gloss that will actually increase over time in response to burnishing. The end result is a durable, burnishable finish with high shine and long life.	
<b>Terra Glaze</b>	5810	1 / 5 Gallon	An acrylic polymer seal developed exclusively for use on terrazzo. A 25% solids metal interlock formulation, Terra Glaze conditions, seals, and protects the natural beauty of terrazzo. Once applied, Terra Glaze becomes a hard, tough seal that combats terrazzo's inherent susceptibility to damage and deterioration due to abrasion, scratching, scuffing, and wear.	
<b>TrendSetter</b>	4010	1 Gallon	A burnishable 25% solid floor finish provides a wet look gloss, extended durability, and substantial labor savings. The high shine and depth of gloss actually build after repeated burnishing and it will stay glossy even after numerous scrubs.	
<b>iShine</b>	4055	1 Gallon	25% high solids floor finish designed for use on many floor types, especially in heavy traffic areas. This finish delivers high gloss, high clarity that remains glossy for longer periods of time than traditional finishes.	



KALISPELL  
406.752.8520

support@j2op.com

shopj2.com

SALES REP:

PHONE: